The Sandur Manganese & .

(An ISO 9001:2015; ISO 14001:2015 and 45001:2018 certified company) CIN:L85110KA1954PLC000759; Website: www.sandurgroup.com

REGISTERED OFFICE

'SATYALAYA', No.266 Ward No.1, Palace Road Sandur - 583 119, Ballari District, Karnataka, India

Telephone: +91 08395 260301

Fax: +91 8395 260473

SMIORE/PLANT/MOEF/EC/2022-23/40



CORPORATE OFFICE

'SANDUR HOUSE', No.9, Bellary Road, Sadashivanagar Bengaluru - 560 080, Karnataka, India

Telephone: +91 80 4152 0176 / 179

Fax: +91 80 4547 3000

Date: 5.11.2022

To,

The Regional Office,

Ministry of Environment, Forest and Climate Change, Kendriya Sadan, 4th Floor, E & F wing, 17th Main Road, Koramangala II Block. Bengaluru 560034

Sub: Submission of six-monthly report on the compliance status of the stipulated environmental conditions as per EC Identification No. EC22A008KA143818 dated 30/03/2022 for the period April 2022 to September 2022

Ref: 1. EC Identification No. EC22A008KA143818 dated 30/03/2022

2. Office Memorandum F. No. IA3-22/1/2022-IA-III [E-172624] dated 14.06.2022 regarding submission of six monthly compliance report through dedicated module in PARIVESH by MoEF&CC

Dear Sir.

As per General conditions no. IV. (i), General conditions no. X. (v) of the above-mentioned EC, we are hereby, submitting the six monthly compliance status report for the period Apr'22 to Sep'22. As per OM released by MoEF&CC dated 14.06.2022, we have tried submitting the status report on Parivesh portal. Because of some technical issues, we were unable to submit it online. Hence, forwarding the EC Compliance Status Report through email and hard copies of the same is being submitted to the Regional Office, Bengaluru, Karnataka.

We trust that the measures taken towards environmental safeguard comply with the stipulated environmental conditions. We look forward for your further guidance and support to improve upon our environmental management practices.

Thanking you,

For The Sandur Manganese And Iron Ores Ltd

Authorised Signatory.


Sr. No.	EC CONDITIONS	STATUS OF COMPLIANCE
A.	Specific conditions	
I.	Three tier Green Belt shall be developed in a time frame of one year covering 33% of total area with native species all along the periphery of the project site of adequate width and tree density shall not be less than 2500 per ha. Survival rate of green belt developed shall be monitored on periodic basis to ensure that damaged plants are replaced with new plants in the subsequent years. Compliance status in this regard, shall be submitted to concerned Regional Office of the MoEF &CC.	Partially complied/In progress. Three-tier belt is being developed by planting native sall along the periphery of the project site to 33% of the total project area within the time period. SMIORE has raised 30000 native tree sapticentralised nursery to enable the gree plantation. 7500 samplings were plantation. 7500 samplings were plantation. 3 Ha of the earmarked area for gree development. As on date around 15 Ha of belt development is completed and the will be completed before December 2023. Precaution is taken to maintain adequate and the prescribed tree density of 2 during plantation. Survival rate of the gree plantation will be monitored periodically ensure to replace damaged plants subsequent years. Compliance status submitted to concerned Regional Office MoEF & CC.
ii.	All the observations stated in the certified compliance report of RO dated 11/01/2022 shall be complied with by 31/12/2022 as committed. Compliance status in this regard, shall be submitted to concerned Regional Office of the MoEF&CC	Compliance Report (CCR) of RO 11/01/2022 will be complied with stipulated period. Compliance status
		Complied. The water requirement will from Tungabhadra River. Permissio
iii.	Water requirement of 8,686 m3/day will be met from Tungabhadra River after prior approval of the Competent Authority. No ground water abstraction is permitted.	drawing 4 Cusecs of water vide GOK of WRD/42/MTP/2020 dated 25-

Sr. No.	EC CONDITIONS	STATUS OF COMPLIANCE
iv.	Particulate matter emission from all the stacks shall not exceed 30 mg/Nm3.	project to maintain Particulate Matter (
	the management of the state of	emission levels below 30 Mg/Nm3.
V.	100 % solid waste generated in the facility shall be utilized.	Complied. Currently, solid waste generated the plant is sold to end users and recyclers, win-turn utilise solid waste for land fillings road making. Solid waste generated a commissioning the proposed project will also made available to end users/recyclers and this, necessary agreements will be made.
vi.	All stockyards shall be having impervious flooring and shall be equipped with water spray system for dust suppression. Stock yards shall also have garland drains to trap the run off material.	Partially complied. Coal stockyard in the cooven plant has impervious flooring and was sprinklers for dust suppression. For the other stockyards, impervious flooring will be made a priority basis and water sprinklers will installed for dust suppression. Garland drawork is in progress all along the stockyards trapping of run-off material.
vii. Following additional arrangements to control fugitive dust shall be provide		gitive dust shall be provided:
a.	Fog/ Mist Sprinklers at all conveyor points and on bulk raw material storage area (at the transfer points) like Iron Ore, Coal and for Fly Ash and similar solid waste storage areas.	Partially complied. Fog/ Mist sprinklers a considered while designing the conveyor belt at the same will be implemented at the propose project. Sprinklers are provided at bulk ramaterial storage area (at the transfer points) lil Iron Ore, Coal, Fly Ash and similar solid was storage areas.
b. 1	Proper covered vehicle shall be used while cransport of materials.	Complied and maintained. Vehicles engaged the material transportation are strictly following this norm.



Sr. No.	EC CONDITIONS	STATUS OF COMPLIANCE
c.	Wheel Washing mechanism shall be provided in entry and exit gates.	Complied. Wheel washing system is alread provided.
viii.	Performance monitoring of all Pollution Control Devices shall be carried out annually and report submitted to MoEF &CC, Regional Office.	Partially complied. Annual performar monitoring of all pollution control devices a carried out internally. Annual performar monitoring reports will be submitted to MoERCC, Regional office.
ix.	Fourth hole extraction system shall be provided in the Submerged Arc Furnaces.	Complied. Fourth hole extraction system provided in the submerged Arc Furnaces to lithe particulate matter emissions from Furnace.
х.	Sinter Plant	
	Sinter cooler waste recovery system shall be installed to generate process steam or power.	Noted, the project is yet to be implemented. have initiated discussion with technol suppliers to explore the suitability implementing a sinter cooler waste recovery
	Equipped with MEROS technology to reduce emission of SO2, NOX and heavy metals.	Noted, the project is yet to be implemented. have initiated discussion with technol supplier to explore the possibility implementing MEROS technology in sinter plants.
xi.	Coke oven plant shall be equipped with modified wet quenching system.	Complied. Modified wet quenching facility commissioned in coke oven plant and current operation.
xii.	Blast Furnaces shall be equipped with Top Recovery Turbine, dry gas cleaning plant, stove waste heat recovery, cast house and stock house ventilation system and slag granulation facility.	Noted, the project is yet to be implemented will be ensured that the blast furnaces equipped with top recovery turbine, dry cleaning plant, stove waste heat recovery, house and stock house ventilation system slag granulation facility during the projection implementation phase.

Sr. No.	EC CONDITIONS	STATUS OF COMPLIANCE
xiii.	Ductile Iron (DI) plant shall have the following p	provisions:
а	Bag filter for Zn coating and Mg converter area.	Noted, the project is yet to be implemented Provision is made to install bag filters for Zr coating and Mg converter area during implementation phase.
b	Wet scrubbers in paint and bitumen coating area.	Noted, the project is yet to be implemented Wet scrubbers will be installed in paint and bitumen coating area during project implementation.
С	Bag Filter in Cement lining area.	Noted, the project is yet to be implemented. Bag filers will be installed in cement lining area.
d	PTFE dipped bags shall be used in the plant.	Noted, the project is yet to be implemented. Project has considered using PTFE dipped bags in the plant.
е	PM emissions from BF in Zinc coating area shall be 5 mg/Nm3.	Noted and agreed. PM emissions from Blast Furnace (BF) in Zinc coating area will be maintained within the stipulated limit of 5 mg/Nm3 by installing suitable PM emission control devices
f	ETP with recycling facility shall be included.	Noted and agreed. Suitable ETP with recycling facility will be installed at Ductile Iron (DI) plant, before the commencement of operation as per requirement.
	three meets the resultant meet garber	a Rippowell or mythy to be married in
В.	General Conditions:	· · · · · · · · · · · · · · · · · · ·
	Statutory compliance:	



Sr. No.	EC CONDITIONS	STATUS OF COMPLIANCE
i.	The Environment Clearance (EC) granted to the project/ activity is strictly under the provisions of the EIA Notification, 2006 and its amendments issued from time to time. It does not tantamount/ construe to approvals/ consent/ permissions etc., required to be obtained or standards/conditions to be followed under any other Acts/Rules/Subordinate legislations, etc., as may be applicable to the project.	Complied. The conditions as per Environment Clearance (EC) obtained under the provisions of the EIA notification, 2006, and all other applicable Acts/ Rules/ Legislations are consulted and required permissions, approvals, standards have been obtained, adhered and maintained.
11.	Air quality monitoring and preservation	
l.	The project proponent shall install 24x7 Continuous Emission Monitoring System (CEMS) at process stacks to monitor stack emission as well as 04 Nos. Continuous Ambient Air Quality Monitoring Station (CAAQMS) for monitoring AAQ parameters with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time. The CEMS and CAAQMS shall be connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	specifications. The Company will install rest o

Vyasanakere os

Sr. No.	EC CONDITIONS	STATUS OF COMPLIANCE
II.	The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through laboratories recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	Complied. A laboratory recognised under section 12(1) B of the Environment (Protection) Act, 198 is already engaged for monitoring fugitive emissions, once in every quarter.
iii.	Sampling facility at process stacks and at quenching towers shall be provided as per CPCB guidelines for manual monitoring of emissions.	Complied. For manual monitoring of emissions sampling facility / port holes are provided at the process stacks and at quenching towers, as pe CPCB guidelines
iv.	Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.	Complied. Appropriate Air Pollution Contro (APC) systems are provided for all the dus generating points including fugitive dust from al vulnerable sources. Stack emission and fugitive emissions confirms the prescribed standards of the Board, for the reporting period.
V.	The project proponent shall provide leakage detection and mechanized bag cleaning facilities for better maintenance of bags.	Complied. Leakage detection and mechanized bag cleaning facilities were installed for better maintenance of bags.
vi.	Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.	Noted and agreed. Adequate number of mobile / stationery vacuum cleaners will be deployed to clean plant roads, shop floors, roofs, etc., for regular cleaning and dust evacuation.
⁄ii.	in the pollution control devices and vacuum cleaning devices in the process after briquetting/agglomeration.	Complied. Iron ore fines, coal and coke fines, lime fines and such other fines collected from the pollution control devices and vacuum cleaning devices are being reused in sinter making. For ensuring this, suitable bruiquetting / agglomeration facilities are installed in the existing plant. Agglomeration facilities will be installed in the proposed plant to ensure collection, recycle and reuse of iron ore, coal and coke fines.



Sr.	EC CONDITIONS	STATUS OF COMPLIANCE
No.	The project proponent use leak proof trucks/dumpers carrying coal and other raw materials and cover them with tarpaulin.	Complied. Leak proof trucks/dumpers are deployed for carrying coal and other raw material. All trucks/dumpers that are transporting raw material are compulsorily covered with tarpaulin sheets to avoid spillage and secondary dust emissions.
ix.	Facilities for spillage collection shall be provided for coal and coke on wharf of coke oven batteries (Chain conveyors, land based industrial vacuum cleaning facility).	Noted. The spillages will be collected manually and suitable devices/ facilities for spillage collection such as land based industrial vacuum cleaners will be provided for coal and coke or wharf of coke oven batteries.
х.	Land-based APC system shall be installed to control coke pushing emissions.	Complied. Suitable land-based APC systems are installed at coke oven plant to control coke pushing emissions.
xi.	Monitor CO, HC and O2 in flue gases of the coke oven battery to detect combustion efficiency and cross leakages in the combustion chamber.	Complied. Regular monitoring of CO, HC and O in flue gases of the coke oven battery is being done to detect combustion efficiency and cros leakages in the combustion chamber if any.
xii.	Vapour absorption system shall be provided in place of vapour compression system for cooling of coke oven gas in case of recovery type coke ovens.	Not Applicable. This condition is not applicable to the project as it has a non-recovery type coke oven system.
xiii.	Wind shelter fence and chemical spraying shall be provided on the raw material stock piles.	Complied. Raw material is stocked in a close shed and sprinklers are installed for water sprinkling to avoid secondary dust emissions.
xiv.	Design the ventilation system for adequate air changes as per prevailing norms for all tunnels, motor houses, Oil Cellars.	Complied. Ventilation systems are designed to facilitate adequate air changes as per the prevailing norms for all existing and propose tunnels, motor houses, oil cellars, etc.

Wyasanakere of Positive Positi

Sr. No.	EC CONDITIONS	STATUS OF COMPLIANCE
Along the Land	The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (E) dated 31st March 2012 (Integrated iron & Steel); G.S.R 414 (E) dated 30th May 2008 (Sponge Iron) as amended from time to time; S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	Noted and Agreed. Installation of Continu
II.	The project proponent shall monitor regularly ground water quality at least twice a year (preand post-monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories.	Complied. The ground water quality is monitoregularly as per guidelines and reports are besubmitted to KSPCB.
ill.	Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.	In progress. Installation of 1x 50 KLD capace Moving Bed Biofilm Reactor (MBBR) bases Sewage Treatment Plant (STP) is in progress at expected to be operational by October 2022. The above STP is designed to meet all the prescribe standards of the Board.
iv.	Garland drains and collection pits shall be provided for each stock pile to arrest the runoff in the event of heavy rains and to check the water pollution due to surface run off.	Noted and agreed. Garland drains and collect pits will be provided for each stock pile to arr surface run off in the event of heavy rains reduce the likely water pollution.
v	Tyre washing facilities shall be provided at the exit and entrance of the plant gates.	Complied. Tyre washing facilities were install at the exit and entrance of the plant gates.
VI.	Water meters shall be provided at the inlet to all unit processes in the steel plants.	Partially complied as the project is yet to implemented. Already water flow meters habeen installed for the existing units. Water meters will be fixed at the inlet to all process

Sr.	EC CONDITIONS	STATUS OF COMPLIANCE
No.		units of the proposed project before the commencement of operations.
IV.	Noise monitoring and prevention	
i.	Noise pollution shall be monitored as per the prescribed Noise Pollution (Regulation and Control) Rules, 2000 and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.	Complied. The ambient noise level is being monitored as per the prescribed Noise Pollution (Regulation and Control) Rules, 2000. Along with the six monthly EC compliance reports, noise monitoring reports too are submitted to the Regional Office of MOEFF & CC.
v.	Energy Conservation measures	
i.	Use torpedo ladle for hot metal transfer as far as possible. If ladles not used, provide covers for open top ladles.	Noted, the project is yet to be implemented. The proposed project will install torpedo ladle for transfer of hot molten metal, wherever possible of the for any technical reasons, torpedo ladles are not used, provision will be made to cover the open top ladles.
II.	Restrict Gas flaring to < 1%.	Noted, the project is yet to be implemented. The proposed project will strive to restrict gas flaring below 1%.
iii.	Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly;	rooftons wherever feasible, and for installation
iv.	Provide LED lights in their offices and residential areas.	Complied. Majority of the illumination light have been converted to LED lights in the platand work is in progress for rest of the areas. addition, awareness has been created amore employees to use LED lights at their residences.
ronsore	Ensure installation of regenerative/recuperative type burners on all reheating furnaces.	partially complied. Illudilye lids been taken

Sr. No	EC CONDITIONS	STATUS OF COMPLIANCE
	KSOK EBJOT BAJISH KERFATAMBURASSO	regenerative/recuperative type burners on reheating furnaces in project as per requirement
VI.	Waste management	
ì.	Oil Collection pits shall be provided in oil cellars to collect and reuse/recycle spilled oil. Oil collection trays shall be provided under coils on saddles in cold rolled coil storage area.	Complied. Suitable Oil trays and oil pits have been provided for collecting spilled oil. The collected spilled oil is being reused or sold that authorised recyclers.
ii.	Kitchen waste shall be composted or converted to biogas for further use.	Complied. The Kitchen waste is being composted and used as manure in the nursery. The extra kitchen waste is given to biogas units and enusers in the surrounding villages.
VII.	Green Belt	es viginam-dichi maco za vistaM
i.	The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration by trees.	Partially complied. Enquiry floated and discussions are in progress with competen agencies for undertaking the GHG inventory for the existing plant.
	Project proponent shall submit a study report on Decarbonisation program, which would essentially consist of company's carbon emissions, carbon budgeting/ balancing, carbon sequestration activities and carbon capture, use and storage and offsetting strategies. Further, the report shall also contain time bound action plan to reduce its carbon intensity of its operations and supply chains, energy transition pathway from fossil fuels to Renewable energy etc. All these activities/ assessments should be measurable and monitor able with defined time frames.	Noted. Once the proposed GHG inventory is undertaken, strategy will be developed for decarbonisation of industrial emissions. This time bound action plan / roadmap will have yearly targets for assessing its effectiveness in the given time frame.
/111.	Public hearing and human health issues	market a tile 1.2 media Substati
e g	A CONTRACTOR OF THE PARTY OF TH	

Sr.	EC CONDITIONS	STATUS OF COMPLIANCE
No.	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Partially complied as the proposed project is yet to be implemented. Hazard Identification and Risk Assessment (HIRA) and Disaster Management Plan for the existing plant is in place. For the proposed project units, the required HIRA and Disaster Management Plan will be formulate before its commissioning.
ii.	The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms.	Noted & agreed. All the employees have been provided with suitable PPE's as per requirement. As Suggested study will be carried out for heat stress analysis for the workmen who work in high temperature work zone.
m.	Occupational health surveillance of the workers shall be done on a regular basis and records maintained.	Complied. Health check-up of employees is undertaken regularly and records are maintained as per guidelines.
IX.	Environment Management	
i.	The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 30/09/2020. As part of Corporate Environment Responsibility (CER) activity, company shall adopt nearby villages based on the socio-economic survey and undertake community developmental activities in consultation with the village Panchayat and the District Administration as committed.	Partially complied. The formulation of CEF budget is underway. For this, consultations are being made with nearby village panchayats and with district administration for arriving at budge components and outlay for the shortlisted developmental activities.
ii won Ores	The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife	environmental policy, duly approved by the Managing Director. The policy prescribe standard operating procedures that offer proper checks and balances to identify any infringements deviation/violation of the environmental / fore / wildlife norms / conditions. The company has defined system of reporting infringements deviation / violation of the environmental

	Sr. No.	EC CONDITIONS	STATUS OF COMPLIANCE
	l local	stakeholders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	management and the shareholders stakeholders. The copy of the board resolution will submitted to the MOEF&CC as a part of monthly Compliance.
	ett Tpek Sull Isoné	that affect springs type soften 300 or 1 of 1 toposporate books 100 or 100 or 1 or 1 sails; at last special changes, some market	The self time and the property of the self time of time
	iii.	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.	Complied. A separate Environment Cell, both a the project site and company head quarter had been established, and works directly under the control of senior management as well as to the head of the organization.
	х.	Miscellaneous	C MODELL GO UNGO BE READ PROPERTY.
33)	i. Isa o mena sa	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.	Complied. A copy of the Environmental Clearance (EC) was advertised in local newspapers such as Sanje Vani, Indian Expression Deccan Herald in English language and Prajavar in the vernacular language i.e. Kannada of 06/04/2022 and 07/04/2022. In accordance with the EC condition, the copy of EC has been uploaded in the company website on permanent basis in the following link https://www.sandurgroup.com/doc/Sandur-EC-granted-30-03-2022.pdf
0	ii.	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	Complied. The copy of EC has been submitted to heads of local bodies like District Collector Vijayanagara District, Assistant Commissioner Hosapete, Tahasildar Hosapete, Panchaya Development Officer of Danapur Panchyat for display purpose.

Sr. No.	EC CONDITIONS	STATUS OF COMPLIANCE
III.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	Complied. The compliance of the stipulate environment clearance conditions, includir results of monitored data will be posted company website and same will be updated chalf-yearly basis
iv.	The project proponent shall monitor the criteria pollutants level namely; PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.	Complied. The level of pollutants like PM10, SO NOx (ambient levels as well as stack emissions) critical sectoral parameters, indicated for the project are monitored and displayed at materiance gate for public viewing. Six-month compliance report along with the monitored day will be uploaded in the website.
v.	The project proponent shall submit sixmonthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	Complied. Six Monthly compliance report stipulated environmental conditions will be uploaded on the website of the Ministry Environment, Forest and Climate Chang (MoEF&CC) at Environment clearance portal Parivesh.
vi.	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	Complied. As prescribed under the Environme (Protection) Rules, 1986, environment statement for each financial year in Form-V of the existing operations is regularly being submitted to Karnataka State Pollution Control Board (KSPCB) and uploaded on the company websit Same practice will be continued even after commissioning of the proposed projections.
vii.	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	Noted. Regional Office as well as MOEF&CC we be informed about the date of financial closure and final approval of the project, by the concerned authorities, date of commencement of land development and production operation
ores	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also during their presentation to the Expert Appraisal Committee.	Agreed to abide by all the commitments ar recommendations made in the EIA/EMP reports commitment made during Public Hearing are during our presentation to the Expert Appraise Committee.

Sr. No.	EC CONDITIONS	STATUS OF COMPLIANCE
ix.	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).	Noted. All further expansions and modifications in the plant (Other than approved) will be taken up on need basis with the prior approval from the Ministry of Environment, Forests and Climate Change (MoEF&CC).
x.	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Noted and agreed.
xi.	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Noted.
xii.	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Noted and agreed.
xiii.	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.	Noted and agree to extend full cooperation to the officer (s) of the Regional Office of Ministry by furnishing requisite data / information/monitoring reports as a part of compliance monitoring process.
	annee visilinger as aroung appreciate of att. of	museus and our virtual or new t
xiv.	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted.

Vyasanakere